



LG

**Business
Solutions**

www.lgbusiness.it

PRODUCT NEWS
MONITOR SIGNAGE

2019

UPDATE OTTOBRE



PRODUCT NEWS
MONITOR SIGNAGE

2019

UPDATE OTTOBRE

MONITOR SIGNAGE
FILM LED

LAT240DTx




LAT240DTx

FILM LED 24mm COLORI



- ❖ Film LED Pixel Pitch 24mm
- ❖ Risoluzione:
LAT240DT1: 28x20
LAT240DT2: 20x20
- ❖ Numero Pixel per Film:
LAT240DT1: 560
LAT240DT2: 400
- ❖ Luminosità > 1000 nit
- ❖ Operatività 24/7
- ❖ Tipologia LED: Colori
- ❖ Compatibile per Installazioni Curve

ACCESSORI



1ST BEZEL KIT
ACC-LATB2

COMMON BEZEL KIT
ACC-LATB3



POWER
(BEZEL KIT & LED FILM)
ACC-LATP1



UNIT CONTROLLER
LCLG012U



SYSTEM CONTROLLER
LCLG002

MONITOR SIGNAGE **LED WALL INDOOR**

LAAF

130" 1.5mm

LAP

1.0mm

LAPE

1.5 | 2.0 | 2.5mm

LAE

2.97 | 3.9mm

LAE-Q

2.6 | 3.91mm

LAC

2.5 | 2.97 | 3.91mm

LAS

1.26 | 1.45 | 1.58 | 1.89 | 2.52 | 3.9mm



LAAF

LED WALL 130" 1.5mm

INDOOR



130"

- ❖ Schermo LED WALL 130"
- ❖ Pixel Pitch 1.5mm
- ❖ Risoluzione 1920x1080
- ❖ Luminosità 500 nit
- ❖ Compatibile HDR 10
- ❖ Sistema Audio Integrato 162W
- ❖ Certificato Crestron Connected

LG FULL HD



HDMI™
HIGH-DEFINITION MULTIMEDIA INTERFACE



USB



Display Port

LG SuperSign™

CONNESSIONI

IN: 3 HDMI / DP / RS232C / RJ45 / IR / USB

OUT: RS232C / AUDIO

DIMENSIONI mm (L x A x P) e PESO

2880 x 1620 x 128,5 / 175 Kg



LAP

LED WALL 1.0mm

INDOOR



- ❖ Codice: LAP010BL2
- ❖ Pixel Pitch 1.0mm
- ❖ Risoluzione 384x360
- ❖ Luminosità 1000nit





WELCOME!

WORLD WEATHER CENTER

15°
Sunny with clouds

City	Temp	Wind	Humidity	Pressure
London	12°C	15 km/h	75%	1013 hPa
New York	18°C	10 km/h	60%	1015 hPa
Tokyo	22°C	8 km/h	55%	1016 hPa
Sydney	25°C	12 km/h	45%	1014 hPa
Mumbai	30°C	18 km/h	35%	1012 hPa
Sao Paulo	28°C	15 km/h	40%	1011 hPa
Beijing	10°C	5 km/h	80%	1014 hPa
Paris	14°C	12 km/h	70%	1013 hPa
Auckland	16°C	10 km/h	65%	1014 hPa
Los Angeles	20°C	8 km/h	50%	1015 hPa
Hong Kong	24°C	10 km/h	40%	1014 hPa
Perth	26°C	12 km/h	35%	1013 hPa
Wellington	14°C	15 km/h	70%	1014 hPa
Manila	28°C	18 km/h	45%	1012 hPa
Seoul	12°C	10 km/h	75%	1014 hPa
Delhi	32°C	20 km/h	30%	1011 hPa
London	12°C	15 km/h	75%	1013 hPa
New York	18°C	10 km/h	60%	1015 hPa
Tokyo	22°C	8 km/h	55%	1016 hPa
Sydney	25°C	12 km/h	45%	1014 hPa
Mumbai	30°C	18 km/h	35%	1012 hPa
Sao Paulo	28°C	15 km/h	40%	1011 hPa
Beijing	10°C	5 km/h	80%	1014 hPa
Paris	14°C	12 km/h	70%	1013 hPa
Auckland	16°C	10 km/h	65%	1014 hPa
Los Angeles	20°C	8 km/h	50%	1015 hPa
Hong Kong	24°C	10 km/h	40%	1014 hPa
Perth	26°C	12 km/h	35%	1013 hPa
Wellington	14°C	15 km/h	70%	1014 hPa
Manila	28°C	18 km/h	45%	1012 hPa
Seoul	12°C	10 km/h	75%	1014 hPa
Delhi	32°C	20 km/h	30%	1011 hPa

LAPE

LED WALL 1.5 / 2.0 / 2.5mm

INDOOR



- ❖ Pixel Pitch
 - LAP015EL6B: 1.5mm
 - LAP020EL6B: 2.0mm
 - LAP025EL4D: 2.5mm
- ❖ Risoluzione
 - LAP015EL6B: 320x360
 - LAP020EL6B: 240x270
 - LAP025EL4D: 192x216
- ❖ Luminosità: 1.000nit
- ❖ Compatibile per installazioni curve (1000R)





WELCOME TO LONDON

LAE

LED WALL 2.97 / 3.9mm

INDOOR



- ❖ Pixel Pitch
 - LAE029DD3DE: 2.97mm
 - LAE029DD3E: 2.97mm
 - LAE039DD3D: 3.9mm
 - LAE039DD3: 3.9mm
- ❖ Risoluzione
 - LAE029DD3DE: 168x168
 - LAE029DD3E: 168x336
 - LAE039DD3D: 128x128
 - LAE039DD3: 128x256
- ❖ Luminosità: 1.200nit





LAE-Q

LED WALL 2.6 / 3.91mm

INDOOR




- ❖ Pixel Pitch
LAE026DD3-Q: 2.6mm
LAE039DD3-Q: 3.91mm
- ❖ Risoluzione
LAE026DD3-Q: 192x192
LAE039DD3-Q: 128x128
- ❖ Luminosità: 1.200nit





S/S COLLECTIONS
NEW RELEASED



LAC

LED WALL 2.5 / 2.97 / 3.91mm

INDOOR



- ❖ Pixel Pitch
LAC025DD3: 2.5mm
LAC029DD3: 2.97mm
LAC039DD3: 3.91mm
- ❖ Risoluzione
LAC025DD3: 200x200
LAC029DD3: 168x168
LAC039DD3: 128x128
- ❖ Luminosità: 1.200nit
- ❖ Compatibile per installazioni curve (1430R)





Sphinx

The sphinx, a mythical creature with the head of a lion and the body of a serpent, is a symbol of mystery and power. In the painting, the sphinx is depicted in a field of purple and pink flowers, with a large, glowing sunburst or starburst effect in the center. The painting is a vibrant and colorful scene, with a dark, shadowy figure in the foreground. The sphinx is a symbol of mystery and power, and the painting is a vibrant and colorful scene.

LAS

LED WALL 1.26 / 1.45 / 1.58 / 1.89 / 2.52 / 3.9mm

INDOOR



- ❖ Pixel Pitch
 - LAS012DB2-F: 1.26mm
 - LAS014DB2-F: 1.45mm
 - LAS015DB2-F: 1.58mm
 - LAS018DB2-F: 1.89mm
 - LAS025DB2-F: 2.52mm
 - LAS039DB7-V: 3.9mm
- ❖ Risoluzione
 - LAS012DB2-F: 480x270
 - LAS014DB2-F: 416x234
 - LAS015DB2-F: 384x216
 - LAS018DB2-F: 320x180
 - LAS025DB2-F: 240x136
 - LAS039DB7-V: 128x128
- ❖ Luminosità: 600nit
(LAS039DB7-V: 1000nit)



DESIGN 3.9mm

MONITOR SIGNAGE **LED WALL OUTDOOR**

LBE

3.91 | 4.63 | 6.94mm

LBE Linea Advertising

8 | 10mm

LBS Linea Advertising

6.25 | 8.33 | 10mm

LBS Linea Stadium

6 | 8 | 10.7 | 12 | 16mm

LBH

10.66 | 16mm

第4次 RACE 4 時間 / 位置 14:21
 WIN PLACE WIN PLACE WIN PLACE
 1 13 4.1 6 6.6 1.9 11 21 4.8
 2 18 5.4 7 9.9 1.9 12 9.9 2.8
 3 37 7.4 8 24 5.3 13 9.5 2.2
 4 2.5 1.5 9 16 4.9 14 31 5.6
 5 47 10 10 5.3 2.0

WIN \$10,602,587
 PLACE \$7,290,915
 SHOW \$1,544,091

馬名 SHAREMA FEELING
 騎師 Jockey
 馬場 \$214.00
 馬場 127.00

第4次 RACE 4
 2 3 4 5 6 7 8 9
 1 71 240 13 262 25 765 94 131
 2 425 42 406 80 956 176 186
 3 260 52 660 78 999 338 141
 4 104 57 102 8.2 185 37 29
 5 267 223 62 173 999 712 409
 6 999 999 766 999 331 86 64
 7 132 99 20 85 999 999 828
 8 3 595 209 246 999 150
 9 10 11 12 13

獲勝投注總額 QIN P



LBE

LED WALL 3.91 / 4.63 / 6.94mm

OUTDOOR



- ❖ Pixel Pitch
 - LBE039DD3D / LBE039DD3: 3.91mm
 - LBE046DD3D / LBE046DD3: 4.63mm
 - LBE069DD3D / LBE069DD3: 6.94mm
- ❖ Risoluzione
 - LBE039DD3D: 128x128
 - LBE039DD3: 128x256
 - LBE046DD3D: 108x108
 - LBE046DD3: 108x216
 - LBE069DD3D: 72x72
 - LBE069DD3: 72x144
- ❖ Luminosità: 5.500nit





CHEEK
BLUSH

LBE Linea Advertising

LED WALL 8 / 10mm

OUTDOOR



- ❖ Pixel Pitch
LBE080DD3: 8mm
LBE100DD3: 10mm
- ❖ Risoluzione
LBE080DD3: 80x90
LBE100DD3: 64x72
- ❖ Luminosità: 5.500nit



HEXELIO

An advertisement for the brand HEXELIO. The image shows two handbags: a brown one and a white one with black straps. The background is a light, warm color. The brand name 'HEXELIO' is written in a bold, black, sans-serif font at the top of the ad.

OLIVIA

An advertisement for the brand OLIVIA. The image features a woman with long, wavy brown hair, wearing a blue denim jacket over a white dress. She is posing with one hand on her head. The brand name 'OLIVIA' is written in a bold, black, serif font at the top of the ad.

LBS Linea Advertising

LED WALL 6.25 / 8.33 / 10mm

OUTDOOR



- ❖ Pixel Pitch
LBS062DA3-V: 6.25mm
LBS083DA3-V: 8.33mm
LBS100DA3-V: 10mm
- ❖ Risoluzione
LBS062DA3-V: 128x256
LBS083DA3-V: 96x192
LBS100DA3-V: 80x160
- ❖ Luminosità: 6.000nit





LBS Linea Stadium

LED WALL 6 / 8 / 10.7 / 12 / 16mm

OUTDOOR



- ❖ Pixel Pitch
 - LBS060DA3D: 6mm
 - LBS080DA3D: 8mm
 - LBS100DA3D: 10.7mm
 - LBS120DA3D: 12mm
 - LBS160DA3D: 16mm
- ❖ Risoluzione
 - LBS060DA3D: 192x128
 - LBS080DA3D: 192x192
 - LBS100DA3D: 144x144
 - LBS120DA3D: 128x128
 - LBS160DA3D: 96x96
- ❖ Luminosità: 6.000nit



Varianti Pixel Pitch 16mm – Luminosità 6.000nit



LBF160DA1D
Risoluzione: 48x60



LBB160DA1D2
Risoluzione: 96x60

JAZZ
FESTIVAL
LIVE MUSIC DANCE BEST ACTORS

THEATER NAME
1.03-25.04

WALTER SCOT
JIMMY BERMINGER

FILL MERDINO
JANET BERCOVSKY

LBH

LED WALL 10.66 / 16mm

OUTDOOR



- ❖ Pixel Pitch
LBH106VD3-B: 10.66mm
LBH160VD3DB: 16mm
- ❖ Risoluzione
LBH106VD3-B: 96x96
LBH160VD3DB: 64x64
- ❖ Luminosità
LBH106VD3-B: 6.000nit
LBH160VD3DB: 8.000nit



MONITOR SIGNAGE

OLED

EW5F-A

55"

EG5CE

55"

EJ5E

65" | 55"

EV5x

65" | 55"

EF5F

55"

The only warranty in the world
Covers your dashboard, door and trunk
10-year/100,000-mile
Powertrain limited by horsepower
and driving conditions



CRUISE CONTROL



20" 10-Double Spoke



Electric Power Steering



Multi-Link Suspension

The only warranty in the world
Covers your dashboard, door and trunk
10-year/100,000-mile
Powertrain limited by horsepower
and driving conditions



V8 Engine



EW5F-A

OLED SIGNAGE TRANSPARENT FLAT



55"

- ❖ OLED SIGNAGE Transparent Flat
- ❖ Risoluzione 1920x1080
- ❖ Grado Trasparenza 38%
- ❖ Design Ultra-Slim 6.6mm
- ❖ Smart webOS 3.0+ / SoC Quadcore
- ❖ Luminosità 400nit
- ❖ Operatività 18/7

LG OLED Signage



webOS_{3.0+}



LG SuperSign™

CONNESSIONI

IN: HDMI / DP / RS232C / RJ45 / IR / 2 USB

OUT: DP / RS232C / RJ45 / AUDIO

DIMENSIONI mm (L x A x P) e PESO

55": 1225,53 x 810,1 x 6,6 / 12,3 Kg



EG5CE

OLED SIGNAGE IN-GLASS DUAL VIEW FLAT



55"

- ❖ OLED Signage In-Glass FLAT
- ❖ Risoluzione 1920x1080
- ❖ Display Dual View
- ❖ Contrasto Infinito
- ❖ Smart webOS 3.0+ / SoC Quadcore
- ❖ Luminosità 400 nit
- ❖ Operatività 18/7

LG OLED Signage



webOS_{3.0+}



LG SuperSign™

CONNESSIONI

IN: HDMI / DP / RS232C / RJ45 / IR / 2 USB

OUT: DP / RS232C / RJ45 / AUDIO

DIMENSIONI mm (L x A x P) e PESO

Consultare la scheda tecnica

Modern Luxury

Beauty is needed to be embellished



EJ5E

OLED SIGNAGE WALLPAPER FLAT



65" / 55"

- ❖ OLED Signage Wallpaper FLAT
- ❖ Risoluzione: 65": 3840x2160
55": 1920x1080
- ❖ Contrasto Infinito
- ❖ Design Ultra-Slim
(Spessore 55": 4.9mm / 65": 6 mm)
- ❖ Smart webOS 3.0+ / SoC Quadcore
- ❖ Luminosità 400 nit
- ❖ Operatività 12/7 (55": 18/7)

LG OLED Signage



webOS 3.0+



LG SuperSign™

CONNESSIONI

IN: HDMI / DP / RS232C / RJ45 / IR / 2 USB

OUT: DP / RS232C / RJ45 / AUDIO

DIMENSIONI mm (L x A x P) e PESO

65": 1445,1 x 822,6 x 6 / 13,5 Kg

55": 1220,3 x 696,8 x 4,9 / 10 Kg



EV5x

OLED VIDEO WALL FLAT



65" / 55"

- ❖ OLED Video Wall FLAT
- ❖ Risoluzione: 65EV5E 3840x2160
55EV5D 1920x1080
- ❖ Contrasto Infinito
- ❖ Smart webOS 3.0+ / SoC Quadcore
- ❖ Luminosità: 400 nit
- ❖ Operatività 12/7 (55": 18/7)
- ❖ Installazione Verticale

LG OLED Signage



webOS 3.0+



LG SuperSign™

CONNESSIONI

IN: HDMI / DP / OPS (55") / RS232C / RJ45 / IR / 2 USB (55" 1 USB)

OUT: DP / RS232C / RJ45 / AUDIO

DIMENSIONI mm (L x A x P) e PESO

Consultare la scheda tecnica



EF5F

OLED SIGNAGE OPEN FRAME CURVO (Flexible)



55"

- ❖ OLED Signage FULL HD
- ❖ Display Open Frame Curvo (Curvatura regolabile tramite Calibratore)
- ❖ Risoluzione 1920x1080
- ❖ Curvatura Max: Orizzontale 1000R
Verticale 1000R
- ❖ Smart webOS 4.0 / SoC Quadcore
- ❖ Luminosità 400 nit
- ❖ Operatività 18/7

LG OLED Signage



webOS 4.0



LG SuperSign™

CONNESSIONI


IN: HDMI / DP / RS232C / RJ45 / IR / 2 USB

OUT: DP / RS232C / RJ45 / AUDIO

DIMENSIONI mm (L x A x P) e PESO

Consultare la scheda tecnica

CALIBRATORE CURVATURA



MONITOR SIGNAGE

ULTRA STRETCH

BH7F

88"

BH7C / BH5C

86"



BH7F



MONITOR SIGNAGE ULTRA STRETCH UHD

88"



- ❖ Monitor Signage ULTRA STRETCH UHD
- ❖ Risoluzione 3840x1080 - 32:9
- ❖ Pannello IPS
- ❖ Luminosità 700 nit
- ❖ Operatività 24/7
- ❖ Smart webOS 4.0 / SoC Quadcore
- ❖ Multiscreen (2/3/4)
- ❖ Daisy Chain LAN



LG UHD

IPS



webOS 4.0



LG SuperSign™

CONNESSIONI

IN: 3 HDMI / DP / OPS / RS232C / RJ45 / IR / 2 USB / AUDIO

OUT: DP / RS232C / RJ45 / AUDIO

DIMENSIONI mm (L x A x P) e PESO

88": 2158,3 x 611,2 x 84,8 mm / 38 Kg


MONDAY
APR 11 10:57 AM

PARIS
26°C
PARTLY CLOUDY

4:27 100% 1:00 PM 1:00 PM
7:37 100% 7:37 PM 8:12 PM

TO TRAVEL

TUESDAY ☀️ 21°
WEDNESDAY ☀️ 20°
THURSDAY ☀️ 20°
FRIDAY ☁️ 20°
SATURDAY ☁️ 20°
SUNDAY ☁️ 20°



BH7C / BH5C

MONITOR SIGNAGE ULTRA STRETCH UHD

86"



- ❖ Monitor Signage ULTRA STRETCH UHD
- ❖ Risoluzione 3840x600 - 58:9
- ❖ Pannello IPS
- ❖ Luminosità 700 nit (BH5C: 500 nit)
- ❖ Operatività 24/7
- ❖ Smart webOS 2.0 / SoC Quadcore
- ❖ Multiscreen (2/3/4)
- ❖ Daisy Chain LAN



LG UHD

IPS



webOS 2.0



LG SuperSign™

CONNESSIONI

IN: 3 HDMI / DP / OPS / RS232C / RJ45 / IR / 2 USB / SD CARD / AUDIO

OUT: DP / RS232C / RJ45 / AUDIO

DIMENSIONI mm (L x A x P) e PESO

86": 2158,3 x 348,5 x 81,7 / 20,5 Kg

MONITOR SIGNAGE

VIDEO WALL

SVH7F

55"

VH7E-H

55"

VM5E

55" | 49"

VX1D

55"

VH7E

55" | 49"

VL5D

49"

VL7F

55" | 49"

VL5F

55" | 49"



SVH7F

VIDEO WALL 0.44mm SIMMETRICO



55"

- ❖ Risoluzione 1920x1080
- ❖ Pannello IPS
- ❖ Cornice Ultra Slim 0.44mm
- ❖ Certificato NEMKO 0.88mm (bordi affiancati)
- ❖ Smart Calibration
- ❖ Luminosità 700 nit
- ❖ Operatività 24/7
- ❖ Smart webOS 4.0 / SoC Quadcore



webOS 4.0



LG SuperSign™

CONNESSIONI

IN: 2 HDMI / DP / DVI-D / RS232C / RJ45 / IR / USB / AUDIO

OUT: DP / RS232C / RJ45 / AUDIO

DIMENSIONI mm (L x A x P) e PESO

55": 1210,51 x 681,22 x 86,5 / 16,8 Kg

ℓ

SEASON SALE
women's accessories

YOU ARE HERE

VX1D

VIDEO WALL HIGH BRIGHTNESS



55"

- ❖ Risoluzione 1920x1080
- ❖ Luminosità 1500nit
- ❖ Pannello IPS
- ❖ Cornice Slim 3.5mm (bordi affiancati)
- ❖ Operatività 24/7
- ❖ Smart webOS 3.0+ / SoC Quadcore



LG SuperSign™

CONNESSIONI

IN: HDMI / DP / DVI-D / RGB / RS232C / RJ45 / IR / USB / AUDIO

OUT: DP / RS232C / RJ45 / AUDIO

DIMENSIONI mm (L x A x P) e PESO

55": 1213,4 x 684,2 x 92,8 mm / 23,5 Kg



VH7E-H

VIDEO WALL 0.9mm SIMMETRICO Haze 44%



55"

- ❖ Risoluzione 1920x1080
- ❖ Pannello IPS
- ❖ Cornice Ultra Slim 0.9mm
- ❖ Certificato NEMKO 1.8mm (bordi affiancati)
- ❖ Trattamento Superficie 44% Haze
- ❖ Luminosità 700 nit
- ❖ Operatività 24/7
- ❖ Smart webOS 4.0 / SoC Quadcore



webOS 4.0



LG SuperSign™

CONNESSIONI

IN: 2 HDMI / DP / DVI-D / RGB / RS232C / RJ45 / IR / 2 USB / AUDIO

OUT: DP / RS232C / RJ45 / AUDIO

DIMENSIONI mm (L x A x P) e PESO

55": 1211,4 x 682,2 x 86,5 / 16,8 Kg



NEW
COLLECTION

SHOP NOW

VH7E

VIDEO WALL 0.9mm SIMMETRICO



55" / 49"

- ❖ Risoluzione 1920x1080
- ❖ Pannello IPS
- ❖ Cornice Ultra Slim 0.9mm
- ❖ Certificato NEMKO 1.8mm (bordi affiancati)
- ❖ Luminosità 700 nit
- ❖ Operatività 24/7
- ❖ Smart webOS 4.0 / SoC Quadcore



webOS 4.0



LG SuperSign™

CONNESSIONI

IN: 2 HDMI / DP / DVI-D / RGB / RS232C / RJ45 / IR / 2 USB / AUDIO

OUT: DP / RS232C / RJ45 / AUDIO

DIMENSIONI mm (L x A x P) e PESO

55": 1211,4 x 682,2 x 86,5 / 16,8 Kg

49": 1075,7 x 605,8 x 86,2 / 17,5 Kg

DEPARTURES

Dest	Time	Gate	Class	Seat	Time	Flight	Status	Gate	Time
London	10:00	10	Y	10A	10:00	BA001	On Time	10	10:00
Paris	10:15	11	Y	10B	10:15	AF002	Delayed	11	10:30
Amsterdam	10:30	12	Y	10C	10:30	KLM003	On Time	12	10:30
Frankfurt	10:45	13	Y	10D	10:45	LH004	On Time	13	10:45
Brussels	11:00	14	Y	10E	11:00	BR005	On Time	14	11:00
Geneva	11:15	15	Y	10F	11:15	GV006	On Time	15	11:15
Milan	11:30	16	Y	10G	11:30	IG007	On Time	16	11:30
Rome	11:45	17	Y	10H	11:45	IG008	On Time	17	11:45
Naples	12:00	18	Y	10I	12:00	IG009	On Time	18	12:00
Bari	12:15	19	Y	10J	12:15	IG010	On Time	19	12:15
Palermo	12:30	20	Y	10K	12:30	IG011	On Time	20	12:30
Catania	12:45	21	Y	10L	12:45	IG012	On Time	21	12:45
Messina	13:00	22	Y	10M	13:00	IG013	On Time	22	13:00
Cagliari	13:15	23	Y	10N	13:15	IG014	On Time	23	13:15
Alghero	13:30	24	Y	10O	13:30	IG015	On Time	24	13:30
Sassari	13:45	25	Y	10P	13:45	IG016	On Time	25	13:45
Perth	14:00	26	Y	10Q	14:00	QF017	On Time	26	14:00
Sydney	14:15	27	Y	10R	14:15	QF018	On Time	27	14:15
Melbourne	14:30	28	Y	10S	14:30	QF019	On Time	28	14:30
Brisbane	14:45	29	Y	10T	14:45	QF020	On Time	29	14:45
Auckland	15:00	30	Y	10U	15:00	QF021	On Time	30	15:00
Wellington	15:15	31	Y	10V	15:15	QF022	On Time	31	15:15
Christchurch	15:30	32	Y	10W	15:30	QF023	On Time	32	15:30
Dunedin	15:45	33	Y	10X	15:45	QF024	On Time	33	15:45
Invercargill	16:00	34	Y	10Y	16:00	QF025	On Time	34	16:00
Hamilton	16:15	35	Y	10Z	16:15	QF026	On Time	35	16:15
Queenstown	16:30	36	Y	10AA	16:30	QF027	On Time	36	16:30
Timaru	16:45	37	Y	10AB	16:45	QF028	On Time	37	16:45
Christchurch	17:00	38	Y	10AC	17:00	QF029	On Time	38	17:00
Wellington	17:15	39	Y	10AD	17:15	QF030	On Time	39	17:15
Auckland	17:30	40	Y	10AE	17:30	QF031	On Time	40	17:30
Brisbane	17:45	41	Y	10AF	17:45	QF032	On Time	41	17:45
Melbourne	18:00	42	Y	10AG	18:00	QF033	On Time	42	18:00
Sydney	18:15	43	Y	10AH	18:15	QF034	On Time	43	18:15
Perth	18:30	44	Y	10AI	18:30	QF035	On Time	44	18:30
Adelaide	18:45	45	Y	10AJ	18:45	QF036	On Time	45	18:45
Brisbane	19:00	46	Y	10AK	19:00	QF037	On Time	46	19:00
Melbourne	19:15	47	Y	10AL	19:15	QF038	On Time	47	19:15
Sydney	19:30	48	Y	10AM	19:30	QF039	On Time	48	19:30
Perth	19:45	49	Y	10AN	19:45	QF040	On Time	49	19:45
Adelaide	20:00	50	Y	10AO	20:00	QF041	On Time	50	20:00
Brisbane	20:15	51	Y	10AP	20:15	QF042	On Time	51	20:15
Melbourne	20:30	52	Y	10AQ	20:30	QF043	On Time	52	20:30
Sydney	20:45	53	Y	10AR	20:45	QF044	On Time	53	20:45
Perth	21:00	54	Y	10AS	21:00	QF045	On Time	54	21:00
Adelaide	21:15	55	Y	10AT	21:15	QF046	On Time	55	21:15
Brisbane	21:30	56	Y	10AU	21:30	QF047	On Time	56	21:30
Melbourne	21:45	57	Y	10AV	21:45	QF048	On Time	57	21:45
Sydney	22:00	58	Y	10AW	22:00	QF049	On Time	58	22:00
Perth	22:15	59	Y	10AX	22:15	QF050	On Time	59	22:15
Adelaide	22:30	60	Y	10AY	22:30	QF051	On Time	60	22:30
Brisbane	22:45	61	Y	10AZ	22:45	QF052	On Time	61	22:45
Melbourne	23:00	62	Y	10BA	23:00	QF053	On Time	62	23:00
Sydney	23:15	63	Y	10BB	23:15	QF054	On Time	63	23:15
Perth	23:30	64	Y	10BC	23:30	QF055	On Time	64	23:30
Adelaide	23:45	65	Y	10BD	23:45	QF056	On Time	65	23:45
Brisbane	00:00	66	Y	10BE	00:00	QF057	On Time	66	00:00
Melbourne	00:15	67	Y	10BF	00:15	QF058	On Time	67	00:15
Sydney	00:30	68	Y	10BG	00:30	QF059	On Time	68	00:30
Perth	00:45	69	Y	10BH	00:45	QF060	On Time	69	00:45
Adelaide	01:00	70	Y	10BI	01:00	QF061	On Time	70	01:00
Brisbane	01:15	71	Y	10BJ	01:15	QF062	On Time	71	01:15
Melbourne	01:30	72	Y	10BK	01:30	QF063	On Time	72	01:30
Sydney	01:45	73	Y	10BL	01:45	QF064	On Time	73	01:45
Perth	02:00	74	Y	10BM	02:00	QF065	On Time	74	02:00
Adelaide	02:15	75	Y	10BN	02:15	QF066	On Time	75	02:15
Brisbane	02:30	76	Y	10BO	02:30	QF067	On Time	76	02:30
Melbourne	02:45	77	Y	10BP	02:45	QF068	On Time	77	02:45
Sydney	03:00	78	Y	10BQ	03:00	QF069	On Time	78	03:00
Perth	03:15	79	Y	10BR	03:15	QF070	On Time	79	03:15
Adelaide	03:30	80	Y	10BS	03:30	QF071	On Time	80	03:30
Brisbane	03:45	81	Y	10BT	03:45	QF072	On Time	81	03:45
Melbourne	04:00	82	Y	10BU	04:00	QF073	On Time	82	04:00
Sydney	04:15	83	Y	10BV	04:15	QF074	On Time	83	04:15
Perth	04:30	84	Y	10BW	04:30	QF075	On Time	84	04:30
Adelaide	04:45	85	Y	10BX	04:45	QF076	On Time	85	04:45
Brisbane	05:00	86	Y	10BY	05:00	QF077	On Time	86	05:00
Melbourne	05:15	87	Y	10BZ	05:15	QF078	On Time	87	05:15
Sydney	05:30	88	Y	10CA	05:30	QF079	On Time	88	05:30
Perth	05:45	89	Y	10CB	05:45	QF080	On Time	89	05:45
Adelaide	06:00	90	Y	10CC	06:00	QF081	On Time	90	06:00
Brisbane	06:15	91	Y	10CD	06:15	QF082	On Time	91	06:15
Melbourne	06:30	92	Y	10CE	06:30	QF083	On Time	92	06:30
Sydney	06:45	93	Y	10CF	06:45	QF084	On Time	93	06:45
Perth	07:00	94	Y	10CG	07:00	QF085	On Time	94	07:00
Adelaide	07:15	95	Y	10CH	07:15	QF086	On Time	95	07:15
Brisbane	07:30	96	Y	10CI	07:30	QF087	On Time	96	07:30
Melbourne	07:45	97	Y	10CJ	07:45	QF088	On Time	97	07:45
Sydney	08:00	98	Y	10CK	08:00	QF089	On Time	98	08:00
Perth	08:15	99	Y	10CL	08:15	QF090	On Time	99	08:15
Adelaide	08:30	100	Y	10CM	08:30	QF091	On Time	100	08:30



VL7F

VIDEO WALL 3.5mm



55" / 49"

- ❖ Risoluzione 1920x1080
- ❖ Pannello IPS
- ❖ Cornice Slim 3.5mm (bordi affiancati)
- ❖ Luminosità 700 nit
- ❖ Operatività 24/7



 IPS



LG SuperSign™

CONNESSIONI

IN: 2 HDMI (49" 1 HDMI) / DP / DVI-D / RGB (49") / RS232C / RJ45 / IR / USB / AUDIO

OUT: DP / RS232C / AUDIO

DIMENSIONI mm (L x A x P) e PESO

55": 1213,4 x 684,2 x 93,1 / 23,2 Kg

49": 1077,6 x 607,8 x 89,7 / 17,8 Kg



Drive Your Dream



VM5E

VIDEO WALL 0.9mm SIMMETRICO



55" / 49"

- ❖ Risoluzione 1920x1080
- ❖ Pannello IPS
- ❖ Cornice Ultra Slim 0.9mm
- ❖ Certificato NEMKO 1.8mm (bordi affiancati)
- ❖ Luminosità 500 nit
- ❖ Operatività 24/7
- ❖ Smart webOS 4.0 / SoC Quadcore



LG SuperSign™

CONNESSIONI

IN: 2 HDMI / DP / DVI-D / RGB / RS232C / RJ45 / IR / 2 USB / AUDIO

OUT: DP / RS232C / RJ45 / AUDIO

DIMENSIONI mm (L x A x P) e PESO

55": 1211,4 × 682,2 × 86,5 / 16,8 Kg

49": 1075,7 × 605,8 × 86,2 / 17,5 Kg

UP CAKES
9.99





SALE
BIRTHDAY CAKE

ICECREAM

CUPS		SUNDAYS		DESSERTS	
Vanilla Soft-serve	\$ 4.99	Vanilla Soft-serve	\$ 6.99	Macarons	\$ 3.99
Chocolate Soft-serve	\$ 4.99	Strawberry Soft-serve	\$ 6.99	Cheesecake	\$ 4.99
Vanilla Soft-serve	\$ 4.99	Chocolate Soft-serve	\$ 6.99	Ice cream cake	\$ 7.99
Chocolate Soft-serve	\$ 4.99	Vanilla Soft-serve	\$ 6.99	Macarons	\$ 3.99
Vanilla Soft-serve	\$ 4.99	Chocolate Soft-serve	\$ 6.99	Ice cream cake	\$ 7.99
Chocolate Soft-serve	\$ 4.99	Vanilla Soft-serve	\$ 6.99	Macarons	\$ 3.99
Vanilla Soft-serve	\$ 4.99	Chocolate Soft-serve	\$ 6.99	Ice cream cake	\$ 7.99





VL5D

VIDEO WALL 3.5mm



49"

- ❖ Risoluzione 1920x1080
- ❖ Pannello IPS
- ❖ Cornice Slim 3.5mm (bordi affiancati)
- ❖ Luminosità 450 nit
- ❖ Operatività 24/7
- ❖ Smart webOS 3.0+ / SoC Quadcore



LG SuperSign™

CONNESSIONI

IN: HDMI / DP / DVI-D / RGB / RS232C / RJ45 / IR / USB / AUDIO

OUT: DP / RS232C / RJ45 / AUDIO

DIMENSIONI mm (L x A x P) e PESO

49": 1077,6 x 607,8 x 89,7 / 17,8 Kg



VL5F

VIDEO WALL 3.5mm



55" / 49"

- ❖ Risoluzione 1920x1080
- ❖ Pannello IPS
- ❖ Cornice Slim 3.5mm (bordi affiancati)
- ❖ Luminosità 500nit (49": 450nit)
- ❖ Operatività 24/7



 IPS



LG SuperSign™

CONNESSIONI

IN: 2 HDMI (49" 1 HDMI) / DP / DVI-D / RGB (49") / RS232C / RJ45 / IR / USB / AUDIO

OUT: DP / RS232C / AUDIO

DIMENSIONI mm (L x A x P) e PESO

55": 1213,4 x 684,2 x 93,1 mm / 23,2 Kg

49": 1077,6 x 607,8 x 89,7 / 17,8 Kg

MONITOR SIGNAGE

ULTRA HD

UH7F

65" | 55" | 49"

UH5E

98" | 86" | 75"

UH5F

65" | 55" | 49" | 43"

UM3E

98" | 86" | 75"

UM3DF

65" | 55" | 49" | 43"

UL3E

86" | 75" | 65" | 55" | 49"

Departures

Time	Flight	Destination	Network	Gate
10:00	AA 100	Los Angeles	Delta	28
10:15	DL 123	Atlanta	Delta	18
10:30	UA 567	Chicago	United	14
10:45	SW 890	Seattle	Southwest	25
11:00	AA 200	Los Angeles	Delta	28
11:15	DL 300	Atlanta	Delta	18
11:30	UA 400	Chicago	United	14
11:45	SW 500	Seattle	Southwest	25
12:00	AA 600	Los Angeles	Delta	28
12:15	DL 700	Atlanta	Delta	18
12:30	UA 800	Chicago	United	14
12:45	SW 900	Seattle	Southwest	25

Duty Free Highlights TAX FREE



UH7F



MONITOR SIGNAGE ULTRA HD SMART WEBOS 4.1



65" / 55" / 49"

- ❖ Risoluzione 3840x2160
- ❖ Pannello IPS
- ❖ Luminosità 700 nit
- ❖ Operatività 24/7
- ❖ Speaker Integrati 20W
- ❖ Smart webOS 4.1 / SoC Quadcore
- ❖ Multiscreen (2/3/4) / PIP
- ❖ Certificato Cisco Spark Room

LG UHD

IPS 4K



webOS 4.1



LG SuperSign™

CONNESSIONI

IN: 3 HDMI / DP / DVI-D / OPS / RS232C / RJ45 / IR / USB / AUDIO

OUT: DP / RS232C / AUDIO

DIMENSIONI mm (L x A x P) e PESO

65": 1453,3 x 844 x 39,9 / 28,2 Kg

55": 1234,4 x 720,9 x 39,9 / 18,9 Kg

49": 1098,6 x 644,5 x 39,9 / 15,4 Kg



UH5E

MONITOR SIGNAGE ULTRA HD SMART WEBOS 4.0



98" / 86" / 75"

- ❖ Risoluzione 3840x2160
- ❖ Pannello IPS
- ❖ Luminosità 500 nit
- ❖ Operatività 24/7
- ❖ Speaker Integrati 20W (86"/75")
- ❖ Smart webOS 4.0 / SoC Quadcore
- ❖ Multiscreen (2/3/4) / PIP
- ❖ Certificato Cisco Spark Room

LG UHD

IPS 4K



webOS 4.0



LG SuperSign™

CONNESSIONI

IN: 3 HDMI / DP / DVI-D / OPS (86"/75") / RS232C / RJ45 / IR / 2 USB / AUDIO

OUT: DP / RS232C / AUDIO

DIMENSIONI mm (L x A x P) e PESO

98": 2191,8 x 1246,8 x 69,4 / 88 Kg

86": 1926,2 x 1097,2 x 60,6 / 49 Kg


75": 1682,4 x 960,3 x 57,9 / 41,5 Kg



UH5F



MONITOR SIGNAGE ULTRA HD SMART WEBOS 4.1



65"/55"/49"/43"

- ❖ Risoluzione 3840x2160
- ❖ Pannello IPS
- ❖ Luminosità 500 nit
- ❖ Operatività 24/7
- ❖ Speaker Integrati 20W
- ❖ Smart webOS 4.1 / SoC Quadcore
- ❖ Multiscreen (2/3/4) / PIP
- ❖ Certificato Cisco Spark Room

LG UHD

IPS 4K



webOS 4.1



LG SuperSign™

CONNESSIONI

IN: 3 HDMI / DP / DVI-D / OPS / RS232C / RJ45 / IR / USB / AUDIO

OUT: DP / RS232C / AUDIO

DIMENSIONI mm (L x A x P) e PESO

65": 1453,3 x 844 x 39,9 / 28,2 Kg

55": 1234,4 x 720,9 x 39,9 / 19,0 Kg

49": 1098,6 x 644,5 x 39,9 / 15,4 Kg

43": 962,5 x 568 x 39,9 / 11,2 Kg



UM3E



MONITOR SIGNAGE ULTRA HD SMART WEBOS 4.0



98" / 86" / 75"

- ❖ Monitor Signage Ultra HD
- ❖ Risoluzione 3840x2160
- ❖ Pannello IPS
- ❖ Luminosità 350 nit
- ❖ Operatività 24/7 (86": 16/7)
- ❖ Speaker Integrati 20W (86"/75")
- ❖ Smart webOS 4.0 / SoC Quadcore
- ❖ Multiscreen (2/3/4) / PIP
- ❖ Installazione Orizzontale / Verticale (86" solo Orizzontale)

LG UHD

IPS 4K



webOS 4.0



LG SuperSign™

CONNESSIONI

IN: 3 HDMI / DP / DVI-D / OPS (86" / 75") / RS232C / RJ45 / IR / 2 USB / AUDIO

OUT: DP / RS232C / AUDIO

DIMENSIONI mm (L x A x P) e PESO


98": 2191,8 x 1246,8 x 69,4 / 88 Kg

86": 1926,2 x 1097,2 x 60,6 / 49 Kg

75": 1682,4 x 960,3 x 57,9 / 41,5 Kg

01:40 PM
May 20

22°

 Cloudy

Precipitation : 40%
Wind : 4 mph

EMPLOYEE
OF THE
MONTH



James Byron

UM3DF



MONITOR SIGNAGE ULTRA HD SMART WEBOS 4.1



65"/55"/49"/43"

- ❖ Risoluzione 3840x2160
- ❖ Pannello IPS
- ❖ Luminosità 350 nit
- ❖ Operatività 18/7
- ❖ Speaker Integrati 20W
- ❖ Smart webOS 4.1 / SoC Quadcore
- ❖ Multiscreen (2/3/4) / PIP
- ❖ Certificato Cisco Spark Room

LG UHD

IPS 4K



webOS 4.1



LG SuperSign™

CONNESSIONI

IN: 3 HDMI / DP / DVI-D / OPS / RS232C / RJ45 / IR / USB / AUDIO

OUT: DP / RS232C / AUDIO

DIMENSIONI mm (L x A x P) e PESO


65": 1453,3 x 844 x 39,9 / 28,2 Kg

55": 1234,4 x 720,9 x 39,9 / 18,9 Kg

49": 1098,6 x 644,5 x 39,9 / 15,4 Kg

43": 962,5 x 568 x 39,9 / 11,2 Kg

International Visitor Arrivals



Total Number of Traveler

Male 65%
Female 55%
Total 45%



Total Value
\$3170
Total
\$1200

Total Value
\$1200
Average
\$200



UL3E



MONITOR SIGNAGE ULTRA HD SMART WEBOS 4.0



86" / 75" / 65" / 55" / 49"

- ❖ Monitor Signage Ultra HD
- ❖ Risoluzione 3840x2160
- ❖ Pannello IPS
- ❖ Luminosità 350 nit (55"500nit / 49" 400nit)
- ❖ Operatività 16/7
- ❖ Smart webOS 4.0 (Piattaforma Commercial TV)
- ❖ Installazione Orizzontale

LG UHD

IPS 4K

350 nit

16h/7days



webOS 4.0

LG SuperSign™

CONNESSIONI

IN: 3 HDMI / RS232C / RJ45 / USB

OUT: AUDIO

DIMENSIONI mm (L x A x P) e PESO

86": 1943 x 1118 x 93,3 / 44,2 Kg

55": 1247 x 729 x 88,6 / 13,7 Kg

75": 1693 x 978 x 88,8 / 34,6 Kg

49": 1110 x 650 x 81,1 / 11,1 Kg

65": 1468 x 854 x 89,9 / 21 Kg

MONITOR SIGNAGE

FULL HD

LS75C

55" | 49" | 42"

SE3KE

55" | 49" | 43" | 32"

SM5KE

55" | 49" | 43" | 32"

SM3B

22"



LS75C

MONITOR SIGNAGE FULL HD SMART WEBOS 3.0



55" / 49" / 42"

- ❖ Monitor Signage FULL HD
- ❖ Risoluzione 1920x1080
- ❖ Pannello IPS
- ❖ Luminosità 700 nit
Operatività 24/7
- ❖ Smart webOS 3.0 / SoC Quadcore
- ❖ Multiscreen (2) / PIP

LG FULL HD

IPS

700 nit

24hr / 7 days

webOS 3.0



LG SuperSign™

CONNESSIONI

IN: 2 HDMI / DP / DVI-D / OPS / RS232C / RJ45 / IR / PIXEL SENSOR / USB / SD CARD / AUDIO

OUT: DP / RS232C / AUDIO

DIMENSIONI mm (L x A x P) e PESO

55": 1230 x 714 x 32 / 20,7 Kg

49": 1095 x 637 x 32 / 15,6 Kg

42": 949 x 555 x 32 / 12,5 Kg



CLUB
Sandwiches
MENU



BBQ Sandwiches \$7.75
Grilled BBQ chicken, topped with lettuce, tomato, pickles, and grilled onions.



Triple Decker Club \$8.75
Chicken strips served with our famous Big Red Sauce.



Deluxe Burger \$9.75
All white meat served with lettuce, tomato, pickles, and sauce.



SM5KE

MONITOR SIGNAGE FULL HD SMART WEBOS 4.0



55"/49"/43"/32"

- ❖ Monitor Signage FULL HD
- ❖ Risoluzione 1920x1080
- ❖ Pannello IPS
- ❖ Luminosità 450 nit (32": 400 nit)
- ❖ Operatività 24/7
- ❖ Certificato Cisco Spark Room
- ❖ Smart webOS 4.0 / SoC Quadcore
- ❖ Wi-Fi Integrato
- ❖ Multiscreen (2) / PIP

LG FULL HD

IPS

450 nit

24h/7 days



webOS 4.0

Cisco Compatible

LG SuperSign™

CONNESSIONI

IN: 3 HDMI / DP / DVI-D / OPS / RS232C / RJ45 / IR / USB / AUDIO

OUT: DP / RS232C / AUDIO

DIMENSIONI mm (L x A x P) e PESO

55": 1238 x 714,9 x 54 / 17,5 Kg

49": 1102,2 x 638,5 x 54 / 14,3 Kg

43": 969,6 x 563,9 x 54 / 10,0 Kg

32": 729,4 x 428,9 x 55,5 / 5,4 Kg



INFORMATION

SE3KE



MONITOR SIGNAGE FULL HD SPEAKER INTEGRATI



55"/49"/43"/32"

- ❖ Monitor Signage FULL HD
- ❖ Risoluzione 1920x1080
- ❖ Pannello IPS
- ❖ Luminosità 350 nit
- ❖ Operatività 18/7
- ❖ Speaker Integrati 10W + 10W
- ❖ Installazione Orizzontale / Verticale
- ❖ Wi-Fi Opzionale (AN-WF500)

LG FULL HD



USB Content Management

LG SuperSign™

CONNESSIONI

IN: 2 HDMI / DVI / RGB / RS232C / RJ45 / IR / USB / AUDIO

OUT: RS232C / AUDIO

DIMENSIONI mm (L x A x P) e PESO

55": 1238 x 714,9 x 54 / 17,5 Kg

49": 1102,2 x 638,5 x 54 / 14,3 Kg


43": 969,6 x 563,9 x 54 / 10 Kg

32": 729,4 x 428,9 x 55,5 / 5,4 Kg



SM3B

MONITOR SIGNAGE FULL HD



22"

- ❖ Monitor Signage FULL HD
- ❖ Risoluzione 1920x1080
- ❖ Pannello IPS
- ❖ Luminosità 250 nit
- ❖ Operatività 16/7
- ❖ Speaker Integrati 1W + 1W
- ❖ Smart webOS 2.0 / SoC Quadcore
- ❖ Wi-Fi Integrato

LG FULL HD



webOS 2.0



LG SuperSign™

CONNESSIONI

IN: HDMI / RGB / RS232C / RJ45 / PIXEL SENSOR / USB / AUDIO

DIMENSIONI mm (L x A x P) e PESO

22": 510,3 x 302,1 x 53,8 / 3,6 Kg

MONITOR SIGNAGE
SET TOP BOX

WP400



WP400

SET TOP BOX SMART WEBOS 4.0



- ❖ Set Top Box webOS
- ❖ Supporto Risoluzione 3840x2160
- ❖ Smart webOS 4.0
- ❖ CMS Integrato
- ❖ Memoria Interna
- ❖ Multiscreen (2/3/4) / PIP
- ❖ Wi-Fi Integrato

LG UHD

webOS_{4.0}

LG SuperSign™

HDMI™
HIGH DEFINITION MULTIMEDIA INTERFACE



USB



Display Port

DIMENSIONI mm (L x A x P) e PESO

258 × 36,5 × 186 / 1,4 Kg

CONNESSIONI

IN: 2 HDMI / DP / RS232C / RJ45 / IR / 2 USB

OUT: HDMI (Monitor) / DP RS232C

MONITOR SIGNAGE

HIGH BRIGHTNESS

XS2E
75"

XS4F
55" | 49"

XE3FS
86"

XF3C/XF3E
75" | 55" | 49"

XE3C/XEB3E
75" | 49"

XF1E
32"

XE4F
55" | 49"

**LUNCH SET
ONLY \$9.99**



New!



Fresh



XS2E

MONITOR SIGNAGE HIGH BRIGHTNESS 2500 nit

WINDOW FACING



75"

- ❖ Risoluzione 3840x2160
- ❖ Pannello IPS
- ❖ Luminosità 2500 nit
- ❖ Operatività 24/7
- ❖ Temperatura d'utilizzo 0° ~ 40° C
- ❖ Smart webOS 3.0



webOS 3.0



LG SuperSign™

CONNESSIONI

IN: 2 HDMI / DP / DVI-D / RS232C / RJ45 / IR / USB / SD CARD / AUDIO

OUT: DP / RS232C

DIMENSIONI mm (L x A x P) e PESO

75": 1675,2 x 953,6 x 116 / 43 Kg



XS4F

MONITOR SIGNAGE HIGH BRIGHTNESS 4000 nit

WINDOW FACING



55" / 49"

- ❖ Monitor Signage High Brightness
- ❖ Risoluzione 1920x1080
- ❖ Pannello IPS
- ❖ Luminosità 4000 nit
- ❖ Operatività 24/7
- ❖ Temperatura d'utilizzo 0° ~ 40° C
- ❖ Smart webOS 3.0



webOS_{3.0}



LG SuperSign™

CONNESSIONI

IN: 2 HDMI / DP / DVI-D / RS232C / RJ45 / IR / USB / AUDIO

OUT: DP / RS232C

DIMENSIONI mm (L x A x P) e PESO

55": 1235,5 x 709,4 x 85,4 / 25 Kg

49": 1092,7 x 626,4 x 83,5 / 20,5 Kg



HAMBURGERS MENUS

CHEESE	\$3.50
DOUBLE CHEESE	\$5.00
BACON TOMATO	\$5.50
SHRIMP	\$4.50
CHICKEN	\$4.00
STEAK	\$6.50



XF3C (75") / XF3E (55"/49")



MONITOR SIGNAGE HIGH BRIGHTNESS 3000 nit

OPEN FRAME



75" / 55" / 49"

- ❖ Monitor Signage High Brightness
- ❖ Risoluzione 75": 3840x2160
55", 49": 1920x1080
- ❖ Pannello IPS
- ❖ Luminosità 3000 nit
- ❖ Operatività 24/7
- ❖ Temperatura d'utilizzo 0° ~ 50° C
- ❖ Smart webOS 3.0



webOS 3.0



LG SuperSign™

CONNESSIONI

IN: 2 HDMI / DVI-D / DP / RS232C / RJ45 / IR / PIXEL SENSOR (75") / USB / SD CARD (75") / AUDIO

OUT: DP / RS232C

DIMENSIONI mm (L x A x P) e PESO

75": 1675,2 x 953,6 x 123,9 / 36,7 Kg

55": 1235,4 x 709,4 x 160 / 27 Kg

49": 1092,7 x 626,4 x 105 / 22 Kg

BALLET
PERFORMANCE



08.21-
09.13

PLACE
OPERA HALL



XF1E

MONITOR SIGNAGE HIGH BRIGHTNESS 1500 nit

OPEN FRAME



32"

- ❖ Monitor Signage High Brightness
- ❖ Risoluzione 1920x1080
- ❖ Pannello IPS
- ❖ Luminosità 1500 nit
- ❖ Operatività 24/7
- ❖ Temperatura d'utilizzo 0° ~ 50° C
- ❖ Smart webOS 3.0



LG SuperSign™

CONNESSIONI

IN: HDMI / DVI-D / DP / RS232C / RJ45 / IR / USB / AUDIO

OUT: RS232C / AUDIO

DIMENSIONI mm (L x A x P) e PESO

32": 727,4 x 439,5 x 95 / 12,3 Kg

Great Titchfield St
Oxford Circus Stn ⇄

Keep on
traveling

Venice

Make your holiday dreams come true with us.



XE3FS

MONITOR SIGNAGE HIGH BRIGHTNESS 3000 nit

OUTDOOR



86"

- ❖ Monitor Signage High Brightness
- ❖ Risoluzione 3840x2160
- ❖ Pannello IPS
- ❖ Luminosità 3000 nit
- ❖ Operatività 24/7
- ❖ Temperatura d'utilizzo -30° ~ 50° C
- ❖ Certificazione **IP56**
- ❖ Smart webOS 3.0



CONNESSIONI

IN: HDMI / DVI-D / DP / RS232C / RJ45 / UBS / AUDIO

OUT: RS232C / RJ45 / AUDIO

DIMENSIONI mm (L x A x P) e PESO

86": 1338 x 2100 x 187 / 276 Kg



GoAirline
Enjoy Your Flight



Perfume
PARIS



XE3C (75") / XEB3E (49")



MONITOR SIGNAGE HIGH BRIGHTNESS 3000 nit

OUTDOOR



75" / 49"

- ❖ Monitor Signage High Brightness
- ❖ Risoluzione 75": 3840x2160
49": 1920x1080
- ❖ Pannello IPS
- ❖ Luminosità 3000 nit
- ❖ Operatività 24/7
- ❖ Temperatura d'utilizzo -30° ~ 50° C
- ❖ Certificazione **IP56**
- ❖ Smart webOS 3.0



webOS_{3.0}

LG SuperSign™

CONNESSIONI

IN: HDMI / DVI-D / DP / RS232C / RJ45 / USB / SD CARD (XE3C) / AUDIO

OUT: DP / RS232C / AUDIO (XE3C)

DIMENSIONI mm (L x A x P) e PESO

Consultare la scheda tecnica

No.	Line	Destination	Arrival	Exit	Frequency of service
100	High speed	St. Margherita (Milano)	10:00	1	1
111	High speed	Verona (Milano)	10:00	1	1
104	High speed	Padova (Milano)	10:00	1	1
102	High speed	Brescia (Milano)	10:00	1	1
101	High speed	Legnano (Milano)	10:00	1	1
103	High speed	Bergamo (Milano)	10:00	1	1
105	High speed	Treviso (Milano)	10:00	1	1
106	High speed	Vicenza (Milano)	10:00	1	1
107	High speed	Torino (Milano)	10:00	1	1
108	High speed	Genova (Milano)	10:00	1	1
109	High speed	Napoli (Milano)	10:00	1	1
110	High speed	Roma (Milano)	10:00	1	1
112	High speed	Bologna (Milano)	10:00	1	1
113	High speed	Firenze (Milano)	10:00	1	1
114	High speed	Porto Cervo (Milano)	10:00	1	1
115	High speed	Porto Cervo (Milano)	10:00	1	1



XE4F

MONITOR SIGNAGE HIGH BRIGHTNESS 4000 nit

OUTDOOR



55" / 49"

- ❖ Monitor Signage High Brightness
- ❖ Risoluzione 1920x1080
- ❖ Pannello IPS
- ❖ Luminosità 4000 nit
- ❖ Operatività 24/7
- ❖ Temperatura d'utilizzo -30° ~ 50° C
- ❖ Certificazione **IP56**
- ❖ Smart webOS 4.0



webOS 4.0



LG SuperSign™

CONNESSIONI

IN: 2 HDMI / DP / RS232C / 2 RJ45 (LAN + HDBaseT) / 2 USB

OUT: RS232C / RJ45

DIMENSIONI mm (L x A x P) e PESO

55": 737,4 x 1292,5 x 88 / 40 Kg

49": 656,2 x 1153 x 88 / 32 Kg

MONITOR SIGNAGE **TOUCH**

TN3F

86"

TR3BF

86" | 75" | 65"

TC3D

75" | 55"

TA3E


55" | 49" | 43" | 32"

SE3TE

23"


KT-TxxE

75" | 65" | 55" | 49" | 43" | 32"



TN3F

MONITOR SIGNAGE TOUCH IN CELL



86"

- ❖ Monitor Signage Touch
- ❖ Risoluzione 3840x2160
- ❖ Tecnologia In Cell
- ❖ Pannello IPS
- ❖ Luminosità 350 nit
- ❖ Operatività 16/7
- ❖ Smart webOS 4.0
- ❖ Multi Touch 20 Punti



LG UHD

IPS 4K



webOS 4.0



LG SuperSign™

CONNESSIONI

IN: 2 HDMI / DP / DVI-D / RS232C / RJ45 / 2 USB / 1 USB-C / AUDIO

OUT: RS232C / USB TOUCH

DIMENSIONI mm (L x A x P) e PESO

86": 1952,6 x 1164,1 x 86,4 / 66,7 kg



TR3BF

MONITOR SIGNAGE TOUCH UHD



86"/75"/65"

- ❖ Monitor Signage Touch
- ❖ Risoluzione 3840x2160
- ❖ Pannello IPS
- ❖ Luminosità 280 nit (65": 300 nit)
- ❖ Operatività 16/7
- ❖ Sistema Operativo Android 8.0
- ❖ Multi Touch 20 Punti
- ❖ Multiscreen (2) / PIP



LG UHD

IPS 4K



CONNESSIONI

IN: 3 HDMI / RGB / RS232C / RJ45 / 5 USB / AUDIO

OUT: HDMI / USB TOUCH / AUDIO

DIMENSIONI mm (L x A x P) e PESO

86": 1957 × 1160 × 86 / 67 Kg

75": 1709 × 1020 × 86 / 53 Kg

65": 1488 × 897 × 86 / 40 Kg



TC3D

MONITOR SIGNAGE TOUCH



75"/55"

- ❖ Monitor Signage Touch
- ❖ Risoluzione:
75": 3840x2160 / 55": 1920x1080
- ❖ Luminosità:
75": 410 nit / 55": 370 nit
- ❖ Operatività 24/7
- ❖ Smart webOS 3.0+
- ❖ Multi Touch 40 punti
- ❖ Multiscreen (2) / PIP



IPS



webOS_{3.0+}



LG SuperSign™

CONNESSIONI

IN: 3 HDMI / DP / DVI-D / OPS / RGB / RS232C / RJ45 / 2 USB / AUDIO

OUT: RS232C

DIMENSIONI mm (L x A x P) e PESO

75": 1732,8 x 1011,1 x 69,7 / 74,5 Kg


55": 1276,4 x 751,9 x 63,9 / 29,1 Kg



CHOOSE THE COLOR

TA3E

MONITOR SIGNAGE TOUCH



55"/49"/43"/32"

- ❖ Monitor Signage Touch
- ❖ Risoluzione 1920x1080
- ❖ Pannello IPS
- ❖ Luminosità 325 nit
- ❖ Operatività 24/7
- ❖ Smart webOS 3.0+
- ❖ Multi Touch 10 punti
- ❖ Multiscreen (2) / PIP



IPS



webOS 3.0+



LG SuperSign™

CONNESSIONI

IN: 2 HDMI / DP / DVI-D / OPS / RGB / RS232C / RJ45 / USB / AUDIO

OUT: DP / RS232C / AUDIO

DIMENSIONI mm (L x A x P) e PESO

55": 1278 x 748,8 x 71,4 / 28 Kg

49": 1142,2 x 672,4 x 71,4 / 22,3 Kg

43": 1009,6 x 597,8 x 71,4 / 17,1 Kg

32": 768,4 x 462,9 x 74,5 / 10,3 Kg



Sao Paulo

Seoul

WHAT'S THE PURPOSE OF YOUR VISIT?



BUSINESS MEETING



PERSONAL MEETING



BILL DELIVERY

LG

SE3TE

MONITOR SIGNAGE TOUCH



23"

- ❖ Monitor Signage Touch
- ❖ Risoluzione 1920x1080
- ❖ Pannello IPS
- ❖ Luminosità 250 nit
- ❖ Operatività 16/7
- ❖ Multi Touch 10 punti
- ❖ Appendibile a Parete (VESA 75x75)



IPS

250 nit



CONNESSIONI

IN: HDMI / RGB

OUT: CUFFIE

DIMENSIONI mm (L x A x P) e PESO

23": 555 x 335 x 53 / 3,9 Kg



REVIEW QUIZ TIME!

Photosynthesis

Chlorophyll

Green

VIEW MORE




Botany science

© LG



KT-TxxE

KIT OVERLAY TOUCH



75" / 65" / 55" / 49" / 43" / 32"

- ❖ Kit Overlay Touch
- ❖ Serie Compatibili:
75": UH5x/UM3x
65"/55"/49"/43"/32": SM5x, SE3x
- ❖ Tecnologia IR
- ❖ Cornice Slim 32.7mm
- ❖ Multi Touch 10 punti
- ❖ OS Supportati:
Windows / MAC / Linux / Android



CONNESSIONI

USB

DIMENSIONI mm (L x A x P) e PESO

75": 1722,1 x 1000,3 x 29,3 / 17 Kg

49": 1142,2 x 672,4 x 29,3 / 7,8 Kg

65": 1496,9 x 871,9 x 29,3 / 12,9 Kg

43": 1009,6 x 597,8 x 29,3 / 6,4 Kg

55": 1278,0 x 748,8 x 29,3 / 10,2 Kg

32": 768,4 x 462,9 x 29,3 / 4,2 Kg



RUNNING SHOES

16P1
CENT
LEA

Modern
Luxury

RESPECT

Dundas

Chris



Seguici sui nostri canali digitali



www.lgbusiness.it



www.facebook.com/LGInformationDisplay/



www.linkedin.com/showcase/lg-electronics-information-display-italia/



www.youtube.com/c/LGECCommercialDisplay

Per ricevere ulteriori informazioni contatta il team di LG Italia all'indirizzo b2b.italy@lgpartner.com